


audiotape

PROFESSIONAL QUALITY, SPLICE-FREE
ON THE CONVENIENT C-SLOT REEL

TRADE MARK

TRIPLE
RECORDING
ON "TEMPERED" MYLAR*



TRADE MARK

**RECORDING TIME PER TRACK
(in minutes)**

Tape Speed	1200 ft.	1800 ft.	2400
1 1/8	128	192	256
3 3/4	64	96	128
7 1/2	32	48	64
15	16	24	32

REEL NO.

MONAURAL: Single Track

STEREO: Two Track

Dual Track

Four Track

GUARANTEE: Audiotape is manufactured by skilled technicians with great care. Audio Devices is sure that you will be satisfied with the results obtained with this magnetic tape and we assure you satisfaction with the following guarantee:
This magnetic tape will be replaced if defective in manufacture, labeling or packaging. There is no other warranty or liability, expressed or implied.

AUDIO DEVICES, Inc.

235 East 42nd Street, New York, N. Y.

U. S. Patents: 2692736 3700347

STAT

Next 1 Page(s) In Document Exempt

75IPS
TR STEREO

COPY

COPY

COPY

TAPE RECORDING LOGMISSION BX6708DATE 13 July 1967

NUMBER	TIME/L	DESCRIPTION
0000	1805	INITIAL PILOT BRIEFING
0014		WX
0051		INTELL.
0056		COMMO DATA
0187		FLT PLAN
0215		STAT
0241	1823	END OF BRIEFING
0250	0750	FINAL BRIEFING
0270		127 STATUS
0322		131 STATUS
0356		PACKAGE
0375		STAT
0387	0801	INS
0390	0802	PORTION CONCLUDED.
0571		FLT PLN PRESENTATION FROM FILM STRIP.
0710		WX
0719		INTELL.
0757	0830	OPERATIONAL DATA. - COMMO - AR - NOTAMS -
		END OF BRIEFING.

751PS
TR STEREOTAPE RECORDING LOGMISSION 6708 REVISEDDATE 13 JULY 1967

NUMBER	TIME/L	DESCRIPTION
0730	1531	SENSITIVE DE-BRIEFING
0777		DCO CRITIQUE
0837		ROUTE PLAN CRITIQUE
0860		INTELL.
0866		UX
0901	1541	END OF SENSITIVE PORTION.
0910	1545	OPERATIONAL MAINTAINANCE DE-BRIEFING
0915		SUMMARY BY DE BRIEF OIC.
0950		AC SYSTEMS BY ENGINEER.
1025		1025 1075 1096 1148 1210 1229 ENGINES - INLET - ARC-50 - COMM - INS - SAS -
1273	1609	END 1ST PORTION OPERATIONAL DE-BRIEFING
1280	1610	
1380	1617	STAT
1414	1619	END OF DE-BRIEFING